

Chiral spin-orbitronics

Stuart Parkin

*Max Planck Institute for Microstructure Physics, Halle (Saale), Germany
Martin Luther University Halle-Wittenberg*

Over the past few years there have been remarkable discoveries in spin-based phenomena that rely on *spin-orbit coupling* that could spur the development of advanced magnetic memory devices. These include the formation of *chiral* spin textures in the form of Néel domain walls and topological spin textures, skyrmions, that are stabilized by a Dzyaloshinskii-Moriya exchange interaction. The Dzyaloshinskii-Moriya exchange interaction is derived from broken symmetries and spin-orbit interactions at interfaces or within the bulk of materials. Another important consequence of spin-orbit effects are the unexpectedly high conversion efficiencies of charge current to *chiral* spin current from topological spin textures and in conventional metals, via the spin Hall effect^{1,2}. Such spin currents lead to giant spin-orbit torques that can be used to switch the magnetization in three terminal magnetic tunnel junction memory elements or can be used to move domain walls in Racetrack Memory memory-storage devices. Indeed record-breaking current-induced domain wall speeds exceeding 1,000 m/sec have recently been reported in atomically engineered synthetic antiferromagnetic racetracks in which the domain walls are “invisible” with no net magnetization^{3,4}. More complex non-collinear spin textures include the recent discovery of antiskyrmions⁵ in a Heusler compound.

- 1 Zhang, W. *et al.* Giant facet-dependent spin-orbit torque and spin Hall conductivity in the triangular antiferromagnet IrMn₃. *Sci. Adv.* **2**, e1600759, (2016).
- 2 Demasius, K.-U. *et al.* Enhanced spin-orbit torques by oxygen incorporation in tungsten films. *Nat. Commun.* **7**, 10644, (2016).
- 3 Yang, S.-H., Ryu, K.-S. & Parkin, S. S. P. Domain-wall velocities of up to 750 ms⁻¹ driven by exchange-coupling torque in synthetic antiferromagnets. *Nat. Nano.* **10**, 221-226, (2015).
- 4 Garg, C., Yang, S.-H., Phung, T., Pushp, A. & S.P.Parkin, S. Dramatic influence of curvature of nanowire on chiral domain wall velocity. *Sci. Adv.* **3**, e1602804, (2017).
- 5 Nayak, A. K. *et al.* Discovery of Magnetic Antiskyrmions Beyond Room Temperature in Tetragonal Heusler Materials. *Nature* (2017).